




Blast Pot CADWB-2460 (300l) Double Chamber Machine

This high quality brand belongs to the product group “pressure blast systems”. Only the perfect configuration and match of all system components in a blast machine enable maximum blasting efficiency. Therefore Clemco offers an extensive and complete range of quality products.



Blast Pot CADWB-2460 (300l) Double Chamber Machine

Up to four operators can use our double chamber blast machines for parallel and independent work. Furthermore the double chamber systems makes it possible to refill the blast machine without interrupting blasting. This makes the system a perfect solution for an automated production and continuous duty.

| | |
|--|------------------------------------|
| Area of application | automation continuous operation |
| Total dimension: W x H x D * | 900 x 1750 x 850 mm |
| Diameter | 610 mm |
| Weight * | 300 kg |
| Tank capacity | 2 x 150 l |
| Abrasive media | suitable for every common media |
| Blasting pressure | 0 < > 12 bar |
| Operating temperature | 0°C < > 50°C |
| Features | depending on requirements |
| * +/- Values, may differ depending on configuration, arrangement and function. | |

Air volume in m³/min

| nozzle orifice | 3,5 bar | 4,2 bar | 4,9 bar | 5,6 bar | 6,3 bar | 7,0 bar | 8,6 bar | 10,3 bar |
|----------------|---------|---------|---------|---------|---------|---------|---------|----------|
| 5 mm 3/16" | 0,73 | 0,84 | 0,92 | 1,06 | 1,15 | 1,26 | 1,54 | 1,82 |
| 6,5 mm ¼" | 1,31 | 1,51 | 1,71 | 1,9 | 2,08 | 2,27 | 2,75 | 3,22 |
| 8 mm 5/16" | 2,16 | 2,5 | 2,83 | 3,16 | 3,53 | 3,84 | 4,71 | 5,57 |
| 9,5 mm 3/8" | 3,02 | 3,53 | 4 | 4,5 | 4,85 | 5,5 | 6,64 | 7,79 |
| 11 mm 7/16" | 4,12 | 4,76 | 5,44 | 6,09 | 6,73 | 7,11 | 8,8 | 10,48 |
| 12,5 mm ½" | 5,46 | 6,28 | 7,06 | 7,85 | 8,65 | 9,46 | 11,46 | 13,45 |

When selecting an air volume, please add 50% to the table values to allow loss for normal nozzle wear and friction.