



## **Pulsar VI/VI PLUS Blast Cabinet**

This high quality brand belongs to the product group “blast cabinets”. Clemco’s blast cabinets are suitable for the processing of small to medium sized workpieces. The environmentally-friendly blasting within a cabinet ensures high efficiency and safe work conditions.

+ **Compact design**

+ **Minimal energy usage**

+ **Easy and comfortable operation**

**Engineered  
by Clemco**



### **Pulsar VI/VI PLUS**

The Pulsar VI / VI PLUS is a compact cabinet made of robust steel panel, including all accessories, which are needed for an efficient and save blast process. The Pulsar series includes an integrated and harmonized blast media recycling system and cartridge filter unit. With the recycling of the blast media, the blast process is very economic. The full advantage out of the media lifetime will be taken and only high quality media with abrasive effect hits the surface of the workpiece. This also has an influence on the surface that is blasted and the quality of your work, only good blast media can create good results. A huge variety of optional accessories will make the Pulsar VI even more suitable for any special requirements and serve deeply individual solutions; no matter if turntable or loading truck for heavy and bulky workpieces.

The Pulsar PLUS edition is equipped with two filter cartridges for better handling of jobs that cause high dust load. High dust is produced for example on the workpiece itself or by long service hours per day.

Depending on your needs, the Pulsar VI and the Plus version can be ordered as powerful pressure- or air saving suction system.

Area of application	Pulsar VI: for standard use Pulsar VI PLUS: for dusty processes cleaning, deburring refining, roughening
Total dimension: W x H x D *	1355 x 2100 x 1820/1930 mm
Weight *	580/610 kg

Blast room dimension: W x H x D *	1290 x 1150 x 1020
(Clear) door dimension: W x H *	940 x 975
Tank capacity	40l
Abrasive media	for every current media
Blasting pressure	0 < > 7 bar
Operating temperature	15°C < > 30°C
Electrical specification	16A
Space requirements *	10m <sup>2</sup> (cabinet, loading truck, filter, cyclone, pot, working area)
Restrictions	steel grit only with optional 2,2kW motor
Features	blast cabinet blast machine (40l) abrasive media recovery system (cyclone) cartridge filter (dust filter) optional attachments
* +/- Values, may differ depending on configuration, arrangement and function.	